Cobb 700™ (Vantage Male) Rearing Management Record (Grams)

Company			Breeder Farm		House Number:
Rearing Farm		House Number:	Date Moved	Female	Male
Placement Date	Female	Male	Number Transferred	Female	Male
Number Placed	Female	Male	Point-of-lay Number	Female	Male

Between 2 to 22 weeks, weights should be taken when the crop is empty (dry BW) or at least 6-7 hours after the last feeding.

Age	Weeks		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	25	25
	Days	0	7	14	21	28	35	42	49	56	63	70	77	84	91	98	105	112	119	126	133	140	147	154	161	168	175
Female BW	Female BW Target (C700)		150	285	410	522	613	704	795	885	976	1067	1158	1249	1339	1430	1544	1657	1793	1930	2088	2247	2406	2565	2724	2883	3042
	Female BW Actual																										
	Weekly Gain																										
	Female Uniformity																										
Female Feed	Female Feed Actual (g/b/d)																										
	Feed Energy																										
	Feed Type																										
Female Depletion	Female # of Birds																										
	Female Weekly (%)																										
	Female Cumulative (%)																										
Male BW	Male BW Target (Cobb Vantage Male)		145	340	522	658	794	930	1066	1202	1338	1451	1565	1701	1814	1928	2041	2155	2291	2427	2563	2699	2926	3062	3198	3334	3470
	Male BW Actual																										
	Male Uniformity																										
Male Feed	Male Feed Actual (g/b/d)																										
	Feed Energy																										
	Feed Type																										
Male Depletion	Male # of Birds																										
	Male Weekly (%)																										
	Male Cumulative (%)																										
	Light Hours																										
	Water Consumption																										
	Temperature																										


4000
3000
2000
1000
BW (g)
0
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
Age (Weeks)
Female BW 16-20w. Minimum turn-up 36%
Female BW Target (C700)
Male BW Target (Cobb Vantage Male)

Cobb 700™ (Vantage Male) Laying Management Record (Grams)

Company			
Rearing Farm		House Number:	
Placement Date	Female	Male	
Number Placed	Female	Male	

Breeder Farm		House Number:	
Date Moved	Female	Male	
Number Transferred	Female	Male	
Point-of-lay Number	Female	Male	
Age at Light Stimulation			

Age (Wks)	Date	Female No.	Male No.	Total Eggs %HW Actual	Female Feed Actual (g/b/d)	Female BW Target	Female BW Actual	Male Feed Actual (g/b/d)	Vantage Male BW Target	Male BW Actual	Hatch % Actual
20						2247			2699		
21						2406			2926		
22						2565			3062		
23						2724			3198		
24						2883			3334		
25						3042			3470		
26						3178			3583		
27						3292			3697		
28						3360			3787		
29						3405			3878		
30						3450			3969		
31						3496			4014		
32						3519			4060		
33						3541			4082		
34						3564			4105		
35						3587			4128		
36						3605			4150		
37						3623			4173		
38						3637			4196		
39						3650			4218		
40						3664			4241		
41						3677			4264		
42						3691			4286		

Age (Wks)	Date	Female No.	Male No.	Total Eggs %HW Actual	Female Feed Actual (g/b/d)	Female BW Target	Female BW Actual	Male Feed Actual (g/b/d)	Vantage Male BW Target	Male BW Actual	Hatch % Actual
43						3705			4309		
44						3718			4332		
45						3732			4354		
46						3746			4377		
47						3759			4400		
48						3773			4423		
49						3786			4445		
50						3800			4468		
51						3814			4491		
52						3827			4513		
53						3841			4536		
54						3854			4559		
55						3868			4581		
56						3877			4604		
57						3886			4627		
58						3895			4640		
59						3904			4658		
60						3913			4677		
61						3923			4695		
62						3932			4713		
63						3941			4731		
64						3950			4745		
65						3959			4763		


95
68
45
23
0
Hatchability %
% Production
5000
3750
2500
1250
0
BW (g)
20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65
Age (Weeks)
Female BW Target
Vantage Male BW Target
Total Eggs %HW STD
Hatch % STD